

Dual-fiber redundant switch configuration

Article Overview

Dual-fiber redundant switch configurations provide high availability by using two fiber links and redundancy protocols to ensure seamless failover in case of a link or switch failure.

Overview

Dual-fiber redundancy involves connecting switches with two independent fiber links, creating a primary and backup path. This setup ensures that if one fiber link fails, traffic automatically reroutes through the secondary link, minimizing downtime. Redundancy is critical in industrial networks, data centers, and enterprise environments where network availability is essential .

Redundancy Protocols

Several protocols can manage dual-fiber redundancy:

- Spanning Tree Protocol (STP/RSTP/RPVST): Prevents loops in Layer 2 networks with redundant paths. Rapid Per-VLAN Spanning Tree (RPVST) provides faster convergence and allows you to prioritize root bridges for optimal path selection .
- Device Level Ring (DLR): Used in industrial networks, DLR supports a ring topology with at least two Ethernet ports per node. One node acts as a ring supervisor, monitoring the ring and reconfiguring it within milliseconds if a failure occurs. Back...

Article Content

Sep 15, 2025

Switch redundancy with MCLAG

Dual-homed servers connected to a pair of FortiSwitch units using an MCLAG To configure a multichassis LAG, you need to configure FortiSwitch 1 and FortiSwitch 2 as MCLAG peer switches

Dec 15, 2025

Application Example 02/2017 Setup of a Ring Topology based on “MRP

Partial media redundancy: Real-time communication cannot be maintained, if there is an interruption in a non-redundant part (line) between IO Controller and IO Device. The real-time communication is not

Jun 08, 2026

Switch Redundancy and Management

Cisco Routing & Switching Best Practices server, CDP where not needed) Use SSH v2 for all management access Implement ACLs to restrict management plane access Enable port security on

Jun 26, 2026

Fortifying Your Network with Cisco Switch Power Redundancy Setup: Dual ...

Ensure high network availability with a complete Cisco switch power redundancy setup guide. Learn dual PSU deployment, StackPower, PoE budgeting, and best practices.

May 18, 2026

Fiber Optic Ring Redundancy Design for Industrial Ethernet Switches

Fiber optic ring redundancy design addresses this by constructing a closed loop and implementing link backup through redundancy protocols, with its core logic broken down into three levels: The

Feb 10, 2026

How to Configure Redundant Switches in Cisco Networks

This article will guide you through the essential steps, necessary commands, configurations, and best practices for configuring redundant switches

Oct 03, 2025

Configuring Redundant Connections 7

Configuring HSRP This section provides an overview of a Hot Standby Router Protocol (HSRP) configuration (see Figure 7-2) and describes how to configure the CSMs with HSRP and CSM

Jan 21, 2026

Moxa Managed Ethernet Switch Redundancy Protocol (UI 2.0) User

When configuring a redundant ring, all switches on the same ring must be configured to use the same redundancy protocol. You cannot mix the Turbo Ring, Turbo Ring V2, and STP/RSTP protocols on

Nov 04, 2025

Recommendations: Dual Core Switch for redundancy.

Hi Experts, May I ask for your recommendations for this kind of setup. Best practices and other routing and switching stuff. I have the following: 1 5520 ASA connected to the internet, 2 core

Apr 19, 2026

Redundant Switch Configuration

I'm trying to setup two Catalyst 3750X-48T-L switches to support redundant networking. Most pieces of equipment will have two Ethernet interfaces, each on separate subnets. So far, I've

Jul 16, 2026

How to Build a Redundant Network: Dual Switch Stack Configuration

Eliminate network single points of failure with dual switch stacks, HSRP/VRRP, link aggregation, and proper cabling topology. A practical guide for IT engineers.

Sep 25, 2025

Dual.mif

In a redundant, dual fabric configuration, the Cisco MDS Inter-VSAN Routing (IVR) feature must be used in order to satisfy these basic SVC requirements. IVR provides the same benefit of keeping the two

Mar 04, 2026

Redundancy Protocol Configuration Guide, Cisco

We recommend that you shut down the newly created HSR ring on the switch before configuring the ring on all switches, and then reenabling them one by one as

Jul 21, 2026

Catalyst 6500 Series Switch Content Switching Module ...

Networking with the Content Switching Module Getting Started Configuring VLANs
Configuring Real Servers and Server Farms Configuring Virtual Servers, Maps and Policies

Aug 25, 2025

Port Aggregation FAQs - Ubiquiti Help Center

Port aggregation can increase maximum throughput, and allow for network redundancy. It does this by splitting traffic across multiple ports instead of forcing clients to use a single uplink port on a switch.

Dec 21, 2025

Solved: Redundancy and HSRP Dual Uplinks

Hello all, currently my company network is colocated at a Data Center providing us two uplink fiber cables with HSRP enables routers behind them, so that of the uplinks one is active and

Jul 24, 2026

How to Configure Redundant Switches in Your Network

Let's dive into a detailed, step-by-step guide on setting up redundant switches, covering both the hardware setup and software configurations.

Nov 04, 2025

FlexVPN Spoke in Redundant Hub Design with a Dual Cloud ...

This document describes how to configure a spoke in a FlexVPN network with use of the FlexVPN client configuration block in a scenario where multiple hubs are available.

Sep 17, 2025

EtherNet/IP Device Level Ring Application Technique, ENET-AT007E

A ring with redundant gateways uses multiple switches to provide multiple connections from a ring to the outside network infrastructure (Figure 9). If you need only one connection to the outside network,

Sep 18, 2025

Network Redundancy and Ring Topologies

As such, redundancy has become widely recognized as an essential aspect of any industrial network. There are many different ways to enhance fiber redundancy in a network. One way is by relying on a

Nov 19, 2025

Fiber Optic Ring Network Design Explained:

Learn how to design a fiber optic ring network with practical diagrams, topologies, and switch setup tips. Explore ring network switch options

Mar 13, 2026

Dual Ring Topology-Example, Advantages & Disadvantages

Dual ring topology is a network configuration that uses two concurrent rings of connections to link devices. This redundant network structure enhances reliability and provides a

Oct 22, 2025

Best way to create redundancy with 2x layer 2 Cisco switches

Hi, I have the below set up that and I'm trying to work out the best way to make the switches redundant so if one fails, comms are still available for all users. At the moment if switch 1

Aug 15, 2025

Solved: Redundant links between switches

So in my building I have a switch closet on each floor with a stack of 3750's. Each floor switch stack has a single fiber link to the core switch (3750) in the server room. Both switches are L3

Jul 19, 2026

Deploying Parallel Redundancy Protocol within a Converged

Describes how to configure CPwE Parallel Redundancy Protocol within the CPwE architecture based on the design considerations and recommendations of the previous chapter. Information on monitoring

Dec 26, 2025

Redundancy Protocol Configuration Guide, Cisco

To achieve three DLR rings, the IE3400 switch must have the redundancy FPGA profile configured. The switch can support a maximum of

Mar 31, 2026

Redundant Links in Networking: Failover & High

Learn how to set up redundant links in data center networking to prevent downtime. Explore failover solutions, blended internet services, and multi-carrier

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.iiss.co.za>

Email: sales@iiss.co.za

Phone: +27 63 174 2895

Address: Unit 8, Innovation Park, 15 Rivonia Road, Sandton, Johannesburg,
2196, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

