


Outer Diameter of Non-Metallic Optical Cable

Overview

Approximate dimensions of 3x2 millimeters. Equipped with two non-metallic FRP elements to protect optical fibers¹. Has a desirable bending radius and high tensile strength. in up to 24 fibres and have an all-dielectric loose tube construction. It shall be suitable for indoor applications, complying with IEC standards for l w smoke / zero halogen and EuroClass Cca and B2ca for fire protection. Corning ALTOS® all-dielectric gel-free cables are designed for outdoor and limited indoor use for backbones in lashed aerial and duct installations. The loose tube gel-free design is fully waterblocked using craft-friendly, water-swellaable materials, which means cable access is simple and no clean. Cable diameter refers to the overall outer measurement of a conductor or finished cable, while cross-sectional area (typically in mm² or circular mils) defines the conductive portion responsible for current flow. In case of any conflict, the vendor/manufacturer may propose equipment/material conforming to one group of industry codes. Note: due to OTDR measurement uncertainty KDP cannot guarantee attenuation values at fibres shorter than 1000m.



Article Content

Sep 08, 2025

The FOA Reference For Fiber Optics

A 144 fiber loose tube cable is typically 15-16mm diameter while a comparable micro cable is only about 8

Jun 14, 2026

The FOA Reference For Fiber Optics

Topic: Optical Fiber Table of Contents: The FOA Reference Guide To Fiber Optics
Optical Fiber Fiber Optics is the communications

Jan 05, 2026

The FOA Reference For Fiber Optics

When not under tension, the minimum recommended long term bend diameter is 10 times the cable diameter. Always check the

Apr 27, 2026

Fiber Optic Basics

Fiber Stripping The outer sheath of fiber cables can be removed using electrical cable stripping tools, and scissors or a razor blade

Nov 24, 2025

28 Selection_of_the_Correct_Optical_Cable

Selection of the Correct Optical Cable Outer Jacket for the Application Abstract The cable jacket provides the first line of defense

Jan 14, 2026

Non-Metallic Duct Optical Fiber Cable

Cross Section of Non-Metallic Duct Optical Fiber Cable Key Specifications for Non-Metallic Duct Cable For

Dec 07, 2025

Outdoor fiber Cable Non-metallic Non-armored fiber optic Cable

Non-armored stranded loose tube fiber optic cable features FRP as the central member, ensuring the resistance to electromagnetic

Mar 23, 2026

Fiber Outside Plant Cables

CommScope outside plant fiber optic cables are meticulously designed to withstand the rigors of outdoor environments while

Oct 18, 2025

Single Loose Tube Fiber Optic Cable (2-24 Fibers) Universal

Single loose tube cables consist of 2 to 24, 250µm optical fibers in a single gel filled loose tube with e-glass non metallic strength

Jun 26, 2026

Fiber optic cable non-metal outdoor ADSS type-Bolein

Outdoor Fiber Optical Cable (ADSS) Introduction The ADSS optical cable, a sophisticated type of fiber

Mar 14, 2026

Multi-mode optical fiber

Multi-mode optical fiber is a type of optical fiber mostly used for communication over short distances, such as within a building or on a

Jul 23, 2026

Optical Cable Overview

Optical Cable Overview Features Depending on the application different cable constructions are used. In general there are indoor

Aug 21, 2025

Fibre Optic Cable

Distances assume maximum 1.0 dB total splice/connector loss, maximum 3.0 dB/km cable attenuation at 850 nm, and VCSEL

Feb 27, 2026

Single-mode optical fiber

In fiber-optic communication, a single-mode optical fiber, also known as fundamental-or mono-mode, is

Nov 11, 2025

ALTOS® Loose Tube, Gel-Free Cable 24 F, Single

The loose tube gel-free design is fully waterblocked using craft-friendly, water

Jan 07, 2026

13-SDMS-04 REV. 00 SPECIFICATIONS FOR NON-METALLIC,

The aim of this document is to provide generic information on design & construction of Non-Metallic Fiber Optic Cable (duct type &

Jul 27, 2025

Dielectric armoured optical cable

Dielectric armoured optical cable For indoor and outdoor installation. -not to scale - Central Strength Member (CSM). Loose Tube

Mar 01, 2026

Opti-Core Fibre Optic Indoor-Outdoor 4 Fibre Cable ...

This cable has flame retardant and LSZH properties and is ideal for indoor installations The cable is water-blocked and well suited for

Jul 11, 2026

What is the Diameter of Fiber Optic Cable□

The standard cladding diameter for most optical fibers is 125um, and the standard outer protective layer diameter is

Jul 17, 2026

FREEDM® Reduced Outer Diameter Cable

The new indoor/outdoor cable design reduces the cable diameter by up to 25 percent (versus traditional Freedom® loose tube cables)

Dec 13, 2025

GYFTY63 Outdoor Non-Metallic Anti-Rodent Fiber Optic Cable

The structure of GYFTY63 optical fiber cable 250µm fiber is positioned in a loose tube made of high modulus material, and the loose

Jan 21, 2026

Cable Outer Diameter Comparison Table

The outer diameter dimensions of fiber optic cables vary depending on their construction type and application: Single

Jul 08, 2026

Fiber Optics: Understanding the Basics

Optical fibers usually are specified by their size, given as the outer diameter of the core, cladding, and coating. For example, a

May 24, 2026

Fiber optic cable Catalog

Approximate dimensions of 3x2 millimeters. Equipped with two non-metallic FRP elements to protect optical fibers1. Direct connector

Feb 18, 2026

The Ultimate Fiber Optic Cable Size Reference Chart

Using the wrong size can lead to poor connections, signal loss, or even equipment damage, especially when

Dec 05, 2025

FREEDM® Reduced Outer Diameter Cable | Corning

Corning's FREEDM® Reduced Outer Diameter Cable is an all-dielectric loose tube cable designed for microduct applications, and

Mar 23, 2026

Cable Diameter Calculation Guide: Formulas, Charts

This table reflects the actual cable outer diameter in the installation (taking common

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.iiss.co.za>

Email: sales@iiss.co.za

Phone: +27 63 174 2895

Address: Unit 8, Innovation Park, 15 Rivonia Road, Sandton, Johannesburg,
2196, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

