

What switch should be used for multiple monitoring connections

Overview

The right KVM switch depends on how many computers you manage, whether you need dual-monitor support, and what USB speeds your peripherals require. Last Updated: October 1, 2025 KVM switches let you control multiple computers with one. Device Level Ring (DLR) is a Layer 2 protocol that enables redundancy in a ring topology, providing fast network fault detection and reconfiguration for industrial networks. DLR is an EtherNet/IP™ protocol that is defined by the Open DeviceNet® Vendors' Association (ODVA). It can also be referred to as a "CAT x KVM switch" due to its utilization of copper cables such as Cat5e. How to share one monitor, keyboard, and mouse with more than one computer and still have everything in order and efficient?

The answer is to use a KVM switch! Whether you're a programmer multitasking with 2 computers, or a freelancer working from home, having a work computer and home PC at one. How to configure a switch for network traffic analysis?

It involves leveraging features like port mirroring or SPAN (Switched Port Analyzer) to redirect network traffic to a monitoring port, enabling tools to analyze data for security, performance, and troubleshooting purposes. You may also want to. When adding switching to an automated test system, you have three main options: design and build a custom switching network in-house, use a stand-alone box controlled via GPIB or Ethernet, or use a modular platform with one or more instruments such as a digital multimeter (DMM).



Article Content

Jul 23, 2026

Network Switch Management & Monitoring

Unmanaged switches are typically used to establish basic connectivity, often in-home networks or in areas where very few ports are required. This could be your desk or in a conference ...

Jul 29, 2025

Switching and Multiplexing

When adding switching to an automated test system, you have three main options: design and build a custom switching network in-house, use a stand-alone box controlled via GPIB or Ethernet, or use a ...

May 17, 2026

Example: Configuring Port Mirroring to Multiple Interfaces for Remote ...

EX Series. This example describes how to configure port mirroring to multiple interfaces in the remote-analyzer VLAN so that traffic is sent to different remote monitoring stations for analysis.

Sep 01, 2025

Everything You Need to Know About KVM Switches - TESmart

A KVM switch is a hardware device that allows users to control multiple computers or servers in one or between several monitors using a single set of keyboard and mouse.

Aug 23, 2025

How To Configure A Switch For Network Traffic Analysis?

Choose a Destination Port: Select an unused port on the switch to serve as the monitoring port. This port should be connected to your network analysis device (e.g., Wireshark, intrusion ...

Aug 28, 2025

KVM Switch: A Monitor, Keyboard, Mouse for Two Computers

The answer is to use a KVM switch! Whether you're a programmer multitasking with 2 computers, or a freelancer working from home, having a work computer and home PC at one table, a ...

Aug 14, 2025

Linking of multiple Ethernet switches — cascading, stacking and ...

Switch cascading is a traditional method to interconnect multiple Ethernet switches. This technique involves various network topologies and allows users to configure and manage each ...

May 31, 2026

Best KVM Switches for 2026 (Dual Monitor, Multi-PC)

Control multiple computers with one keyboard, mouse, and monitor using our recommended KVM switches, with setup guides, troubleshooting tips, and security considerations for ...

Nov 23, 2025

Redundancy Protocol Configuration Guide, Cisco Catalyst IE3x00, ...

A DLR network with redundant gateways uses multiple switches to provide multiple connections from a ring to the outside network. Redundant gateways are not essential if you need ...

Jul 03, 2026

Dual Monitor KVM: A Comprehensive Connection Guide

If you use multiple computers and want one setup to manage them all, the Avico KVM Switch can do it. It lets you control up to two computers directly — and with the right setup, even three — using one ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.iiss.co.za>

Email: sales@iiss.co.za

Phone: +27 63 174 2895

Address: Unit 8, Innovation Park, 15 Rivonia Road, Sandton, Johannesburg,
2196, South Africa

This document is for informational purposes only. Specifications subject to
change without notice.

